The New Kuwait German Laboratory
مختبر الكويتي الالماني الجديد

The State of Kuwait

Patient Name	: NAYEF H T T ALENEZI	Lab ID	: AO
Civil ID	: 297072600726	Patient File	: 298592
Passport No	: P05667329	Reg Date	: 24-08-2021
Age/sex	: 23/M	Sampling Date	: 24-08-2021 08:59 PM
Nationality	: KUWAIT	Result Date	: 25-08-2021 07:49 AM
Ref. Drs	: LAB	Serial Number	: LBAO-02-21-032257

MOLECULAR BIOLOGY REPORT

TEST	RESULT
SARS COV-2(COVID 19)	Negative

Sample type : VTM with Nasopharyngeal Swab

SARS COV-2(COVID19) : **Negative**

This test is a qualitative PCR Test. Not detected indicates that SARS-COV-2 RNA is either not present in the specimen or is present at a concentration below the assay lower limit of detection. this result may be influenced by the stage of infection and the quantity of specimen collected for testing.

Negative :

Methodology: RT PCR(NAAT)

Remarks:

REAL TIME PCR COVID-19 detection kit is a real time PCR based in Vitro diagnostic Medical device that is designed to detect the infection of Novel Coronavirus SARS COV-2(COVID19) by examination of nucleic acid extracted from nasopharyngeal smears.

Note: Kindly Refer to appropriate Public Health Authorities (MOH)

مختبر الكويتي الالماني الجديد
The New Kuwait German Laboratory

Dr.Nermin Raafat
Doctors Signature